



OMNIAIRE 600V

HEPA Air Filtration Machine

ORDERING INFO

- OmniAire 600V
- Primary/Secondary Two-Stage Filters (box of 20)
- HEPA Filter 99.99%, 0.3µ (metal frame)
- HEPA FILTER 99.97%, 0.3µ (pb frame)
- OdorGuard 600 Carbon Filter
- Intake Manifold Kit (Manifold, Clamp & 3' Duct)
- ABS Plastic Intake Manifold, 8" Dia.
- Quick Clamp, 8"-10" Dia.
- Flexible Duct, 8" Dia. x 25' L

PART NUMBER

- OA600V
- MFP1313
- MFH12G
- MFH12
- OG1212
- MFIM8KIT
- MFIM8
- QCW12
- MD8



UL 507:1997/R:2017-01
CAN/CSA-C22.2 No. 113-15

The OmniAire 600V is a compact, versatile air scrubber with high airflow and variable speeds. It is used for removal of toxic mold, asbestos and lead dust during renovation and abatement projects, and for purifying air in commercial or factory sites and medical facilities. This popular, light-weight machine is made of strong aircraft grade aluminum housing with smooth surfaces for easy sanitation. It can be used with multiple filter options such as HEPA, activated carbon plus MERV 9 primary/secondary filter. Additional accessories include intake manifold, flex ducting and quick clamps.

OmniAire 600V	
Airflow*	150-550 CFM
Power Requirements	115VAC/60 Hz/2.3 Amp
Motor	0.25 HP with thermal overload
Controls	variable speed controller; amber change filter light
Filtration	HEPA filter 99.97% @ 0.3µ; MERV 9 primary/secondary filter Optional: OdorGuard 600 activated carbon web filter; HEPA filter 99.99% @ 0.3µ
Housing	aircraft grade aluminum; silicone sealed before riveting; 8" outlet; (2) rubber grip handles; (4) 3" hospital grade locking casters
Size/Weight	14"W x 19"H x 31"L; 58 lbs.

*Airflows based on blower manufacturer curves. Different filters may cause the flow to vary.